# TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50



### 000003000863

Version 3.0	Revision Date 2016/08/23	Print Date 2016/08/23	
SECTION 1. IDENTIFICATION			
Product name :	TRAXON TM/MC E SYNTHETIC CD-50		
Product code :	TRE5BLK, TRE5P20, TRE5K60, TRE5 TRE5DCT	DRM, TRE5,	
Manufacturer or supplier's details	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada		
Emergency telephone num- ber	Suncor Energy: +1 403-296-3000; Canutec Transportation: 1-888- 226-88 996-6666; Poison Control Centre: Consult local tel emergency number(s).	, , , , , , , , , , , , , , , , , , ,	
Recommended use of the chemical and restrictions on use			
Recommended use :	A manual transmission fluid meeting AF applications. May be used where SAE sommended.		
Prepared by :	Product Safety: +1 905-804-4752		

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	viscous liquid
Colour	amber
Odour	Mild petroleum oil like.

### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

### **Potential Health Effects**

Primary Routes of Entry	:	Eye contact Ingestion Inhalation Skin contact
Aggravated Medical Condi- tion	:	None known.
rnet: lubricants.petro-canada.ca/msds		

# TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50



### 000003000863

Version 3.0	Revision Date 2016/08/23	Print Date 2016/08/23

Other hazards None known.	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	80939-62-4	1 - 5 %

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser.</li> <li>Wash clothing before reuse.</li> <li>Seek medical advice.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Obtain medical attention.</li> </ul>
If swallowed	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Seek medical advice.</li> </ul>
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.

# TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50



### 000003000863

Version 3.0

Revision Date 2016/08/23

Print Date 2016/08/23

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	: No information available.
Specific hazards during fire- fighting	: Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	: Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	: Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Evacuate personnel to safe areas.</li> <li>Material can create slippery conditions.</li> </ul>
Environmental precautions	: If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Remove all sources of ignition.</li> <li>Soak up with inert absorbent material.</li> <li>Non-sparking tools should be used.</li> <li>Ensure adequate ventilation.</li> <li>Contact the proper local authorities.</li> </ul>

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Use only with adequate ventilation.</li> <li>In case of insufficient ventilation, wear suitable respiratory equipment.</li> <li>Avoid contact with skin, eyes and clothing.</li> <li>Do not ingest.</li> <li>Keep away from heat and sources of ignition.</li> <li>Keep container closed when not in use.</li> </ul>
Conditions for safe storage	<ul> <li>Store in original container.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Keep in a dry, cool and well-ventilated place.</li> </ul>

# TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50





Version 3.0	Revision Date 2016/08/23	Print Date 2016/08/23
	Keep in properly labelled containers	

To maintain product quality, do not store in heat or direct sunlight.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters		
Contains no substances with occupational exposure limit values.		
Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protective equipm	nent	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Protective measures	:	Wash contaminated clothing before re-use.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

liquid

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous
------------	---	---------

Colour : amber

# TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50

### 000003000863

Version 3.0	Revision Date 2016/08/23	Print Date 2016/08/23
Odour	: Mild petroleum oil like.	
Odour Threshold	: No data available	
рН	: No data available	
Pour point	: -45 °C (-49 °F)	
Boiling point/boiling range	: No data available	
Flash point	: 221 °C (430 °F) Method: Cleveland open cup	
Fire Point	: No data available	
Auto-Ignition Temperature	: No data available	
Evaporation rate	: No data available	
Flammability	: Low fire hazard. This material mu will occur.	ust be heated before ignition
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.86 kg/l (15 °C / 59 °F)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity		
Viscosity, kinematic	: 132.0 cSt (40 °C / 104 °F)	
	17.5 cSt (100 °C / 212 °F)	
Explosive properties	: Do not pressurise, cut, weld, braz pose containers to heat or source	

### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	: Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	: No data available
Incompatible materials	: Reactive with oxidising agents, acids and alkalis.
Hazardous decomposition	: May release COx, smoke and irritating vapours when heated
Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.	Page: 5 / 8 ™ Trademark of Suncor Energy Inc. Used under licence



Version 3.0	Revision Date 2016/08/23	Print Date 2016/08/23
products	to decomposition.	
SECTION 11. TOXICOLOGICA		
<b>Information on likely route</b> Eye contact Ingestion Inhalation Skin contact	es of exposure	
Acute toxicity		
Product:		
Acute oral toxicity	: Remarks: No data available	
Acute inhalation toxicity	: Remarks: No data available	
Acute dermal toxicity	: Remarks: No data available	
Skin corrosion/irritation		
Product:		
Remarks: No data available		
Serious eye damage/eye i	rritation	
Product:		
Remarks: No data available		
Respiratory or skin sensit	isation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure	•	

## TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50



### 000003000863

Version 3.0

Revision Date 2016/08/23

Print Date 2016/08/23

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity		
Product:		
Toxicity to fish	: Remarks: No data available	
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available	
Toxicity to algae	: Remarks: No data available	
Toxicity to bacteria	: Remarks: No data available	
Persistence and degradabili	ty	
Product:		
Biodegradability	: Remarks: No data available	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Offer surplus and non-recyclable solutions to a licensed disposal company.</li> <li>Waste must be classified and labelled prior to recycling or disposal.</li> <li>Send to a licensed waste management company.</li> <li>Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.

## TRAXON <sup>™/MC</sup> E SYNTHETIC CD-50



### 000003000863

Version 3.0

Revision Date 2016/08/23

Print Date 2016/08/23

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

### National Regulations

### TDG

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The components of this p	roduct are reported in the following inventories:
DSL	On the inventory, or in compliance with the inventory
TSCA	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
IECSC	On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

For Copy of SDS	:	Internet: lubricants.petro-canada.ca/msds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-804-4752
Prepared by	:	Product Safety: +1 905-804-4752
Revision Date	:	2016/08/23

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.