NESTE OIL

SAFETY DATA SHEET NESTE CITY STANDARD 5W-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	NESTE CITY STANDARD 5W-30	
Product number	ID 13544	
Internal identification	0445	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Engine oil.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, 00095 NESTE OIL, FINLAND Tel. +358 10 45811 Fax +358 10 45 84442 lubetec@neste.com	
1.4. Emergency telephone number		
National emergency telephone number	e +358-9-471 977, +358-9-4711, Poison Information Centre/HUS, P.O.B 340 (Tukholmankatu 17) 00029 HUS (Helsinki, Finland)	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification		
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Warning	
Hazard statements	H319 Causes serious eye irritation. EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.	
Precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P102 Keep out of reach of children. P280 Wear eye and face protection.	

SECTION 3: Composition/inf	ormation on ingredients	
3.2. Mixtures		
Lubricating oils (petroleum), based	C20-50, hydrotreated neutral oil-	80 - < 90 %
CAS number: 72623-87-1	EC number: 276-738-4	REACH registration number: 01- 2119474889-13-XXXX
Classification Asp. Tox. 1 - H304		
bis(nonylphenyl)amine		1 - < 2,5%
CAS number: 36878-20-3	EC number: 253-249-4	REACH registration number: 01- 2119488911-28-XXXX
Classification Aquatic Chronic 4 - H413		
zinc bis[O-(6-methylheptyl)] bis(dithiophosphate)	bis[O-(sec-butyl)]	1 - < 2,5%
CAS number: 93819-94-4	EC number: 298-577-9	REACH registration number: 01- 2119543726-33-XXXX
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
C14-16-18 Alkyl phenol		1 - < 2,5%
CAS number: — Classification Skin Sens. 1B - H317 Aquatic Chronic 4 - H413		
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Sec	ction 16.
SECTION 4: First aid measu	res	
4.1. Description of first aid mo	easures	
nhalation	Remove person to fresh air and keep comfo symptoms are severe or persist.	rtable for breathing. Get medical attention if
ngestion		under the direction of medical personnel. Never person. Get medical attention if symptoms are
Skin contact	Remove contaminated clothing immediately	and wash skin with soap and water.

Eye contactRinse immediately with plenty of water. Remove contact lenses, if present and easy to do.
Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information	Causes serious eye irritation. Vapours/aerosol spray may irritate the respiratory system. The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
4.3. Indication of any immediat	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	None known.
Hazardous combustion products	Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx). Zinc oxide fumes. Sulphuryl compounds. Mercaptans.
5.3. Advice for firefighters	
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
	e measures tective equipment and emergency procedures
6.1. Personal precautions, pro	tective equipment and emergency procedures
6.1. Personal precautions, pro Personal precautions	tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage.
6.1. Personal precautions, pro Personal precautions For emergency responders	tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage.
6.1. Personal precautions, pro- Personal precautions For emergency responders 6.2. Environmental precautions	tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. So Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.1. Personal precautions, pro Personal precautions For emergency responders 6.2. Environmental precautions Environmental precautions	tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. So Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.1. Personal precautions, pro Personal precautions For emergency responders 6.2. Environmental precautions Environmental precautions	 tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). containment and cleaning up Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
6.1. Personal precautions, pro Personal precautions For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for of Methods for cleaning up	 tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). containment and cleaning up Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
6.1. Personal precautions, pro- Personal precautions For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for emethods for cleaning up 6.4. Reference to other section	 tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. Sop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). containment and cleaning up Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor. Termination and protection, see Section 8.
6.1. Personal precautions, pro- Personal precautions For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for emergency of the section of the section of the section of the section of the sections 6.4. Reference to other sections	 tective equipment and emergency procedures Wear suitable protective clothing as protection against splashing or contamination. Keep unnecessary and unprotected personnel away from the spillage. Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). containment and cleaning up Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor. Is For personal protection, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.
7.3. Specific end use(s)	
Specific end use(s)	Not known.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters	
Lub	ricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)
DNEL	Workers - Inhalation; Long term local effects: 5,4 mg/m ³ , (8h), Aerosol Consumer - Inhalation; Long term local effects: 1,2 mg/m ³ , (24h), Aerosol Available hazard data do not enable the derivation of a DNEL for dermal irritant effects. Available hazard data do not support the need for a DNEL to be established for other health effects.
8.2. Exposure controls	
Appropriate engineering controls	All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.
Eye/face protection	Tight-fitting safety glasses.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	No specific recommendations.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.
SECTION 9: Physical and Che	emical Properties

Appearance	Liquid.
Colour	Tan.
Odour	Petroleum.
Odour threshold	-
рН	-
Melting point	< -39°C Pour point
Initial boiling point and range	> 225°C
Flash point	209°C
Flammability (solid, gas)	-
Upper/lower flammability or explosive limits	-
Vapour pressure	25 hPa (calculated)
Vapour density	-

Relative density	~ 0,852 @ 15°C
Solubility(ies)	Insoluble in water.
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	~ 54 mm2/s @ 40°C ; ~ 9,8 mm2/s @ 100°C
Explosive properties	-
Oxidising properties	-
9.2. Other information	
Other information	Not known.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Strong alkalis. Oxidising agents.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx). Sulphuryl compounds. Zinc oxide fumes. Mercaptans.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met. Supplier's information. Bridging principle (Dilution).
Germ cell mutagenicity	

Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Based on available data the classification criteria are not met.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
Toxicological information on in	gredients.	
	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
Acute toxicity - or	ral	
Notes (oral LD₅₀)	LD₅₀ > 5000 mg/kg, Oral, Rat (OECD 401)	
Acute toxicity - de	ermal	
Notes (dermal LI	D₅o) LD₅₀ > 2000 mg/kg, Dermal, Rabbit (OECD 402)	
Acute toxicity - inhalation		
Notes (inhalation	LC ₅₀ > 5,53 mg/l, Inhalation, Rat (OECD 403)	
	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	
Acute toxicity - or	ral	
Notes (oral LD₅₀)	LD₅₀ 2600 mg/kg, Oral, Rat	
SECTION 12: Ecological Information		
12.1. Toxicity		
Toxicity	The product is not expected to be hazardous to the environment. Based on available data the	
-	classification criteria are not met.	

Ecological information on ingredients.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Acute toxicity - fish	LL₅o, 96 hours: > 100 mg/l, NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)
Acute toxicity - aquatic invertebrates	EL50, 24 - 48 hours: > 10000 mg/l, NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL₅₀, 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)
Acute toxicity - aquatic plants	NOEL, 72 hours: ≥ 100 mg/l, WAF (OECD 201)

Acute toxicity - microorganisms	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)	
-	NOELR, 14 days: >= 1000 mg/l, Onchorhynchus mykiss (Rainbow trout)	
Chronic toxicity - aquatic invertebrates	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)	
zinc	bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	
Acute toxicity - fish	LL₅₀ 4,5 mg/l, 96 h Onchorhynchus mykiss (Rainbow trout)	
Acute toxicity - aquatic invertebrates	EC₅₀ 5,4 mg/l, 48 h Daphnia magna	
Acute toxicity - aquatic plants	EC₅₀ 2,1 mg/l, 72 h Selenastrum capricornutum	
	C14-16-18 Alkyl phenol	
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna (OECD TG 202)	
12.2. Persistence and degradability		
Persistence and degradability No data	available.	
Biodegradation No data	available.	
Ecological information on ingredients.		
Lubr	icating oils (petroleum), C20-50, hydrotreated neutral oil-based	
Biodegradation	2 - 4 %, 28 d	
	(OECD TG 301 B)	
zinc	bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	
Biodegradation	1,5 %, 28 d	
12.3. Bioaccumulative potential		
•	available on bioaccumulation.	
Partition coefficient -		
Ecological information on ingredients.		
zinc	bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	
Partition coefficient	log Pow 0,59-1,2 @ 23°C	
	C14-16-18 Alkyl phenol	
Partition coefficient	log Pow: > 4 Estimated value.	

12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPv	/B assessment	
Results of PBT and vPvB assessment	No data available.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	derations	
13.1. Waste treatment metho	ds	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.	
SECTION 14: Transport infor	mation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
-		
UN No. (ADR/RID)	-	
14.2. UN proper shipping nan	ne	
Proper shipping name (ADR/RID)	-	
14.3. Transport hazard class(es)	
ADR/RID class	-	
14.4. Packing group		
ADR/RID packing group	-	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for	user	
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
SECTION 15: Regulatory info	rmation	
15.1. Safety, health and envir	ronmental regulations/legislation specific for the substance or mixture	

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL = Derived No-Effect Level NOEL = No Observed Effect Level WAF = Water Accommodated Fraction
Key literature references and sources for data	The manufacturer's SDS. 26.2.2016
Revision comments	Revised formulation. Updated, sections: 2, 3, 4, 5, 8, 10, 11, 12, 16
Revision date	02/03/2016
Supersedes date	22/06/2015
SDS number	4780
Hazard statements in full	 H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.